Date

Tuesday, 12/02/2008 2:29:06 PM

User:

Linda Lacelle

Process Sheet

Customer

: CU-DAR001 Dart Helicopters Services

Job Number : 37392

S.O. No. :

Estimate Number

: 10961

P.O. Number

This Issue

: 12/02/2008 Prsht Rev. : NC

First Issue Previous Run : //

: 36517

Type : SMALL /MED FAB **Part Number**

Due Date

: D2565209

Drawing Number

Drawing Name

: D2565 REV E

: STRUT

Project Number

: E **Drawing Revision**

Material

: 19/02/2008

: N/A

Qty:

1 Um:

Each

Written By Checked & Approved By

Comment

Added Powder Coat, Removed Polish, and

Added Inspection Levels 3 & 21 EC

Additional Product

Job Number:



Seq. #:

1.0

Machine Or Operation:

M304TR0750W049

Description:

304 RD Tube .750 x .049W

Comment: Qty.:

1.3475 f(s)/Unit Total: 1.3475 f(s)

Material: 304/316 SS tubing 0.750" Dia. x 0.049" wall M 106 D\5 (M304TR0750W049)

Batch No: M

NC BRAKE

M 106 132 0 08/02

2.0

3.0

BRAKE NC

Comment: BRAKE NC

Punch as per Dwg D2565 using DT 8313

SMALL & MEDIUM FAB RESOURCE 1



Comment: SMALL & MEDIUM FAB RESOURCE 1

Deburr


4.0 QC5



Comment: INSPECT WORK TO CURRENT STEP

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3



Dart Aerospace Ltd	D	art	Aer	'ost	oace	Ltd
---------------------------	---	-----	-----	------	------	-----

Dait Ac	OSPACE	Lu		·					
W/O:		-	WORK ORDE	R CHANGES					
DATE	STEP		PROCEDURE CHANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
									100
									24
		*	÷ •						- ×
Part No):	PAI	R #: Fault Category:	NC	R: Yes	No DQA	1: H	<u>)</u> Date: <u>(</u>	2/018
		×			QA:	N/C Closed	d:	_ Date: _	

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
		Description of NC		Corrective Action Section B			Verification Approval	A		
DATE	STEP	Des	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto	
									9	
			*							
			•							
					1.0					
			*							
		*					-			

NOTE: Date & initial all entries

Tuesday, 12/02/2008 2:29:06 PM Date: User: Linda Lacelle **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: STRUT Job Number: 37392 Part Number: D2565209 Job Number: Seq. #: **Machine Or Operation:** Description: 6.0 QC3 INSPECT POWDER COAT/CHEMICAL CONVERSION Comment: INSPECT POWDER COAT 7.0 PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: ST253 8.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE mi 200€ /2/19 Job Completion

Dart Aerospace Ltd


DuitAo	oopaot	, = (4	•						
W/O:			1.0	WORK ORDER CH	ANGES		<u> </u>		
DATE	STEP		PROCEDURE C	HANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
		4.4.4.	±						
					ç.		11		
Part No	:	PAR #:	: Fault C	ategory:					
	*		·				a:	Date:	
NCR:			WORK OF	RDER NON-CONFO	DRMANCE (NC	R)			
		Description of NO	c	Corrective Action Section B		Verification		Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descrip		Sign & Section C		Chief Eng	QC Inspector
							-,		
		×	*					1	
,					٠				

NOTE: Date & initial all entries





DESIG	*#	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECH	KED M	APPROVED	DRAWING NO. REV. E
	#	1	D2565 SHEET 1 OF
DATE			TITLE SCALE
04.0	5.05		STRUT 1:3
Α		96.05.03	NEW ISSUE
В		97.03.15	CORRECT D2565-111 DIM. A
С		98.10.05	UPDATED MATERIAL NOTE (TSR A603)
D		02.06.05	ADD -3XX PARTS; ADD FINISH
Ε		04.05.05	ADD D2565-401-411; RMV ANGLE D



A B B
DIA 0.257 TO BE PUNCHED — "C" DIA TO BE OPENED MANUALLY PUNCH ENDS PER SPEC CONTROL DRAWING D2638 —

PART #	Α	В	DIA C
D2565-101	20.52	19.72	0.316
D2565-103	18.21	17.41	0.316
D2565-105	20.19	19.39	0.316
D2565-107	13.43	12.63	-
D2565-109	12.31	11.51	
D2565-111	13.65	12.85	
D2565-201	22.79	22.00	
D2565-203	20.75	19,95	0.316
D2565-205	21.22	20.42	0.316
D2565-207	16.07	15.27	
D2565-209			
D2565-211	14.14	13.34	
D2565-301	27.03	26.23	
D2565-303			0.316
D2565-305		22.93	0.316
D2565-307		20.06	
D2565-309			_
D2565-311	16.30	15.50	
	1.1	·	
D2565-401	18.29		0.316
D2565-403	15.64	14.84	
D2565-405	19.45	18.65	0.316
D2565-407	10.79	9.99	
D2565-409	9.34	8.54	
D2565-411	13.81	13.01	

GENERAL NOTES

1) MATERIAL: AISI 304/316/318 SS 0.750 OD X 0.049 WALL

(REF DART SPEC. M304TR0.750W0.049) ENSURE SEAMLESS TUBE IS USED

2) FINISH: POWDER COAT WHITE (4.3.5.2) PER DART QSI 005 4.3

3) TOLERANCES PER DART QSI 018 UNLESS OTHERWISE NOTED

4) ALL DIMENSIONS ARE IN INCHES

Copyright © 1996 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.